

STONEYARD®

*Natural Thin Stone Veneer*

PRODUCT CATALOG





The logo for Stoneyard, featuring the word "STONEYARD" in a bold, serif font with a registered trademark symbol, set against a background of stone veneer.

STONEYARD®

## REAL NEW ENGLAND STONE VENEER

At STONEYARD® we pride ourselves on cutting natural stones into thin veneer for discerning architects, designers, contractors, and home owners. Our unique and memorable stone is gathered locally throughout New England. Specialized stone craftsmen carefully sort, split, and cut large stones into individual pieces of thin veneer. Applications include stone siding, fireplaces, chimneys, foundation covering, interior walls, outdoor and indoor kitchens, columns, and even wine cellars.

Our full line of thin stone veneer is available at local masonry and building supply centers throughout the United States. Visit us online at [www.stoneyard.com](http://www.stoneyard.com) for free samples, extensive photo galleries, videos, specification sheets and installation guides, or to find an authorized reseller near you.



# Enrich Your Design

STONEYARD

## Design with Stone in Mind

Not only is natural stone the oldest and most reliable building material, it's also the best way to make a statement in your design. Rich textures and bold colors are just a few of the distinct elements that natural stone brings to a space. Each of the unique color lines has been carefully selected to meet the demands of any design scheme.

## Projects Can Be LEED Certified

All New England thin stone veneer products are natural, recycled stones. Whether it's for a government building or historical restoration, this natural building material can assist with the LEED certification of your next project. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency.



## Lightweight with the Beauty & Durability of REAL Stone

New England thin stone veneer gives the appearance of full-thickness stone without the additional weight. These natural stones are durable enough to withstand the harshest winters, yet light enough to be installed without a footing.



Greenwich Gray™ Ledge | Intercontinental Hotel, Boston, MA

## Stoneyard.com Tools & Resources

### How to Install



[Stoneyard.com/install](http://Stoneyard.com/install)

### Architect Info



[Stoneyard.com/architect](http://Stoneyard.com/architect)

### Photos



[Stoneyard.com/gallery](http://Stoneyard.com/gallery)

### Videos



[Stoneyard.com/videos](http://Stoneyard.com/videos)

### FREE Samples



[Stoneyard.com/samples](http://Stoneyard.com/samples)





Boston Blend™ Ledge



Greenwich Gray™ Ledge



Boston Blend™ & Greenwich Gray™ Ledge



# Ledgestone

STONEYARD

STONEYARD® Ledgestone is a natural product, split from real New England stone. The unique inner graining created by thousands of years of pressure is exposed for all to see. This pattern consists of thin rectilinear pieces of natural stone that are stacked by a mason into rows or courses. Depending on personal preference, this shape can be installed with a standard or wide joint, but is often dry-laid. Sold as individual stones in flats and matching corners. [www.stoneyard.com/ledge](http://www.stoneyard.com/ledge)



**Boston Blend™** Ledgestone



**Coastal Sand™** Ledgestone



**Rustic Tan™** Ledgestone



**Newport Mist™** Ledgestone



**Portsmouth Granite™** Ledgestone



**Oyster Bay™** Ledgestone



**Vineyard Granite™** Ledgestone



**Greenwich Gray™** Ledgestone



*Boston Blend™ Ledgestone Flat Crate*

**Finish:** Split, textured face

**Height:** 1–4 inches


**Length:** 4–12 inches

**Thickness:** 1 inch +/- ¼ inch


**Weight:** Less than 14 lbs per square foot

*Flats sold per square foot; Corners sold per linear foot*

**Ledgestone Flat**



**Ledgestone Corner**



*Stones in photos have been field-trimmed. Depending on preference, more or less trimming may be required to achieve the desired look.*





Boston Blend™ Mosaic



Boston Blend™ Mosaic



Boston Blend™ Mosaic



STONEYARD® Mosaic pattern consists of irregular pieces of natural stone, primarily triangles and other random shapes similar to broken ice. Mosaic can be installed with dry-laid, standard, or wide joint techniques. Each piece of natural stone has been handcrafted by skilled stonemasons into the perfect choice for your home or office. Sold as individual stones in flats and matching corners. [www.stoneyard.com/mosaic](http://www.stoneyard.com/mosaic)



**Boston Blend™ Mosaic**



**Coastal Sand™ Mosaic**



**Rustic Tan™ Mosaic**



**Newport Mist™ Mosaic**



**Portsmouth Granite™ Mosaic**



**Oyster Bay™ Mosaic**



**Vineyard Granite™ Mosaic**



**Greenwich Gray™ Mosaic**



*Boston Blend™ Mosaic Flat Crate*

**Finish:** Natural, aged face. Irregular shapes.


**Facing area per piece:** 0.25–1.25 square feet  
*Size range: (4.5 inches x 8 inches) to (11 inches x 16 inches)*

**Thickness:** 1 inch +/- ¼ inch


**Weight:** Less than 14 lbs per square foot

*Flats sold per square foot; Corners sold per linear foot*

Mosaic Flat



Mosaic/Square Corner



*Stones in photos have been field-trimmed. Depending on preference, more or less trimming may be required to achieve the desired look.*



STONEYARD



Boston Blend™ Ashlar

Boston Blend™ Ashlar



Boston Blend™ Ashlar





STONEYARD® Ashlar face veneer is taller than the Ledgestone and contains the same vibrant and varied colors of inner graining. It consists of rectilinear pieces of stone in a range of heights. This pattern can be installed with a standard or wide joint, but is typically dry-laid. Sold as individual stones in flats and matching corners. [www.stoneyard.com/ashlar](http://www.stoneyard.com/ashlar)



**Boston Blend™** Ashlar



**Coastal Sand™** Ashlar



**Rustic Tan™** Ashlar



**Newport Mist™** Ashlar



**Portsmouth Granite™** Ashlar



**Oyster Bay™** Ashlar



**Vineyard Granite™** Ashlar



**Greenwich Gray™** Ashlar



**Boston Blend™** Ashlar Flat Crate

**Finish:** Split, textured face

**Height:** 3–7 inches


**Length:** 4–14 inches

**Thickness:** 1 inch +/- ¼ inch


**Weight:** Less than 14 lbs per square foot

*Flats sold per square foot; Corners sold per linear foot*

Ashlar Flat



Ashlar Corner



*Stones in photos have been field-trimmed. Depending on preference, more or less trimming may be required to achieve the desired look.*



STONEYARD



Boston Blend™ Square & Rec



Boston Blend™ Square & Rec

Bowlmor Times Square, NY



Greenwich Gray™ Square & Rec



# Square & Rectangular

STONEYARD

Each of the STONEYARD® Square & Rectangular stones has been carefully hand-sorted, split, and cut thin. The pieces are roughly square and rectangular and have been crafted from real New England stone. The exposed exterior of the stone shows the aged and natural face. The dimensional look of Square & Rectangular can be installed with standard, wide, or dry-fit mortar joints. Sold as individual stones in flats and matching corners. [www.stoneyard.com/square](http://www.stoneyard.com/square)



**Boston Blend™** Square & Rec



**Coastal Sand™** Square & Rec



**Rustic Tan™** Square & Rec



**Newport Mist™** Square & Rec



**Portsmouth Granite™** Square & Rec



**Oyster Bay™** Square & Rec



**Vineyard Granite™** Square & Rec



**Greenwich Gray™** Square & Rec



*Boston Blend™ Square & Rec Flat Crate*

**Finish:** Natural, aged face

**Facing area per piece:** 0.25–1.25 square feet


*Size range: (4.5 inches x 8 inches) to (11 inches x 16 inches)*

**Thickness:** 1 inch +/- ¼ inch


**Weight:** Less than 14 lbs per square foot

*Flats sold per square foot; Corners sold per linear foot*

Square & Rec Flat



Mosaic/Square Corner



*Stones in photos have been field-trimmed. Depending on preference, more or less trimming may be required to achieve the desired look.*



STONEYARD® Round veneer is the most traditional New England shape. It consists of pieces of stone with rounded edges and a slightly pillowed face. These stones were crafted by Mother Nature millions of years ago during the glacial till. The unique patina left behind has been captured in a veneer that is perfect for use on your next stone project. Sold as individual stones in flats and matching corners.

[www.stoneyard.com/round](http://www.stoneyard.com/round)



**Boston Blend™ Round**



**Colonial Tan™ Round**



*Boston Blend™ Round Flat Crate*

**Finish:** Natural, aged face. Irregular shapes.

**Facing area per piece:** 0.25–1.25 square feet


*Size range: (6 inches x 6 inches) to (11 inches x 16 inches)*

**Thickness:** 1 inch +/- ¼ inch


**Weight:** Less than 14 lbs per square foot

*Flats sold per square foot; Corners sold per linear foot*

Round Flat



Round Corner



*Stones in photos have been field-trimmed. Depending on preference, more or less trimming may be required to achieve the desired look.*



**Boston Blend™ Round**



**Colonial Tan™ Round**

*Whole Foods Bedford, NH*



# Personalize Your Design

STONEYARD

When designing your home or commercial space, every structure has unique design elements. Sometimes a little customization is just what is needed to make the space truly your own. A great way to do this is with the use of natural stone. By blending different colors and shapes of thin veneer, you can create your own unique work of art.



Boston Blend™ Ledge & Mosaic



Colonial Tan™ & Boston Blend™ Square & Rect



Boston Blend™ Round & Mosaic



# Packaging

Thin veneer is available in both flats and matching corners for all colors and shapes. Flat material is sold by the square foot (sf) and is available in boxes and crates. Corners are sold by the linear foot (lf) and is available in boxes, half crates, and full crates. Each crate and box is carefully packed and shipped to authorized resellers throughout the USA. [www.stoneyard.com/packaging](http://www.stoneyard.com/packaging)



Thin Veneer Boxes

## Boxes

Flats: 5 sf

Corners: 5 lf

18 boxes per pallet



Thin Veneer Crates

## Crates

Flats: 168 sf

14 layers, 12 sf per layer

Corners: 150 lf or 75 lf

# Corners

All of our thin veneer options are available in both flats and matching 90° corners. When other angles are needed, the options for installation are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. [www.stoneyard.com/corner](http://www.stoneyard.com/corner)



90° Corner ▲

Factory cut



Miter Cut 45° Corner ▲

Cut on-site by mason



Weaved 45° Corner ▲

Cut on-site by mason

# Joint Options

When it comes to installing thin veneer, one of the aspects that can make the biggest effect aesthetically is the last step in the process: jointing. Below are the most common joint techniques used by masons during the installation process. A mock-up is typically created to help in all design decisions, including grout color, joint size, and desired finish. [www.stoneyard.com/mortar](http://www.stoneyard.com/mortar)

## Dry-Laid



With the dry-laid technique, stones are installed with no grout between pieces. This installation technique requires the most trimming.

## Standard



Standard grout joints are  $\frac{3}{8}$ – $\frac{3}{4}$  inch wide. Grout is typically recessed approximately 1/2 inch from the stone face. The amount of trimming or shaping required is moderate.

## Wide



With a wide joint installation the stones are spaced more than 1 inch apart and the grout is more pronounced. Typically seen in historic renovations, this technique requires the least amount of trimming.



# New England Thin Stone Veneer

STONEYARD



Boston Blend™ Ledgerstone\*



Boston Blend™ Ashlar\*



Boston Blend™ Mosaic\*



Boston Blend™ Square & Rec\*



Boston Blend™ Round\*



Coastal Sand™ Ledgerstone\*



Coastal Sand™ Ashlar\*



Coastal Sand™ Mosaic\*



Coastal Sand™ Square & Rec\*



Colonial Tan™ Round\*



Rustic Tan™ Ledgerstone\*



Rustic Tan™ Ashlar\*



Rustic Tan™ Mosaic\*



Rustic Tan™ Square & Rec\*



Newport Mist™ Ledgerstone\*



Newport Mist™ Ashlar\*



Newport Mist™ Mosaic\*



Newport Mist™ Square & Rec\*



Portsmouth Granite™ Ledgerstone\*



Portsmouth Granite™ Ashlar\*



Portsmouth Granite™ Mosaic\*



Portsmouth Granite™ Square & Rec\*



Oyster Bay™ Ledgerstone\*



Oyster Bay™ Ashlar\*



Oyster Bay™ Mosaic\*



Oyster Bay™ Square & Rec\*



Vineyard Granite™ Ledgerstone\*



Vineyard Granite™ Ashlar\*



Vineyard Granite™ Mosaic\*



Vineyard Granite™ Square & Rec\*



Greenwich Gray™ Ledgerstone\*



Greenwich Gray™ Ashlar\*



Greenwich Gray™ Mosaic\*



Greenwich Gray™ Square & Rec\*

Corners are available in all colors and shapes.

Stones in photos have been field-trimmed. Depending on preference, more or less trimming may be required to achieve the desired look.

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.

*\*This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest climates (both hot and cold). Perfect for interior and exterior use in any region including applications below grade. Also suitable for use in water features, near salt water, and in areas where blowing sand is a concern. Visit [www.stoneyard.com/hca](http://www.stoneyard.com/hca) for more details.*



# STONEYARD

New England Stone Veneer



800.231.2200  
[www.Stoneyard.com](http://www.Stoneyard.com)

Back Cover: Greenwich Gray™ Ledge  
Front Cover: Boston Blend™ Ledge & Mosaic



**BSi**  
Building  
Stone  
Institute