NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO: NI009198-R5
DATE: 12/30/2007
CERTIFICATION PROGRAM: Structural
COMPANY: Maxim
CODE: M-1256-1
REVISION DATE: 08/21/2017

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Maxim Industries, Inc. **1630 Terre Colony Court** **Dallas, Texas 75212**	**Series "Dade Self-Flashing"** **Polycarbonate Glazed Aluminum Skylight** Configuration: O Glazing: Exterior Dome-0.118" Hyzod Polycarbonate w/8" rise/Interior Dome-0.118" Hyzod Polycarbonate w/4" rise Overall: W-4'6" H-8'6" DLO: W-3'9" H-7'9"

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	**Design Pressure: +60/-60 psf** **Large Missile Impact Rated**

Product Tested By: Architectural Testing, Inc.
Report No: ATI-01-43381.01
Expiration Date: **December 31, 2021**

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122