

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013491-R1
DATE: 01/31/2017
CERTIFICATION PROGRAM: Structural
COMPANY: Maxim
CODE: 1256-1
REVISION DATE: 02/10/2017

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Maxim Industries, Inc. 1630 Terre Colony Court Dallas, TX 75212	Series "BCM" Aluminum Skylight Configuration: O Glazing: Outer Dome-Covestro SL or PalRam UV Enhanced Polycarbonate Dome/Inner Dome-Gallina PoliCarb 5Layer RDC Multi-Wall Polycarbonate Frame: W-1842mm(72.5") H-1842mm(72.5") DLO: W-1778mm(70") H-1778mm(70")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 ASTM E1886-13a/E1996-12 TAS 201/202/203-94	SKP-PG60 1842 x 1842 (73 x 73) Design Pressure: 2873 Pa (60 psf) Water Penetration Resistance Test Pressure: 440 Pa (9.19 psf) Wind Zone 4 - Missile Level D Large Missile Impact Rated

Product Tested By: Architectural Testing, Inc.
Report No: G5934.01-801-18/G5934.02-801-18/G5934.03-801-18
Expiration Date: January 31, 2021

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be 'S. D.', is written over the signature line.

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122